103/Urol_04_11

Botulinum toxin injections into the bladder: procedure-specific information

What is the evidence base for this information?

This leaflet includes advice from consensus panels, the British Association of Urological Surgeons, the Department of Health and evidence-based sources; it is, therefore, a reflection of best practice in the UK. It is intended to supplement any advice you may already have been given by your GP or other healthcare professionals. Alternative treatments are outlined below and can be discussed in more detail with your Urologist or Specialist Nurse.

What does the procedure involve?

This is a procedure to stop the effects of an overactive bladder using a toxin injected into the wall of the bladder under local anaesthetic



What are the alternatives to this procedure?

Drug treatment, bladder training, physiotherapy, bladder enlargement with a segment of bowel, urinary diversion into a stoma

What should I expect before the procedure?

You will usually be admitted on the day of your surgery. After admission, you will be seen by members of the medical team which may include the Consultant, Specialist Registrar, House Officer and your named nurse

Please be sure to inform your Urologist in advance of your surgery if you have any of the following:


- an artificial heart valve
- a coronary artery stent
- a heart pacemaker or defibrillator
- an artificial joint
- an artificial blood vessel graft
- a neurosurgical shunt
- any other implanted foreign body
- a prescription for Warfarin, Aspirin or Clopidogrel (Plavix®)
- a previous or current MRSA infection

 high risk of variant CJD (if you have received a corneal transplant, a neurosurgical dural transplant or previous injections of human-derived growth hormone)

What happens during the procedure?

The procedure is performed under local anaesthetic and you will be given antibiotics to prevent infection in the urine. Some patients do not tolerate the procedure by this procedure. If you get too much discomfort, we will stop the procedure and discuss the option of repeating the procedure on a different day with a general anaesthetic.

The botulinum toxin is injected with the aid of a flexible telescope (cystoscope) passed into the bladder via the urethra (water pipe).



What happens immediately after the procedure?

You may experience some discomfort for a few days after the procedure but painkillers may be given to you to take home.

The procedure is done on a day-case basis.

Are there any side-effects?

Most procedures have a potential for side-effects. You should be reassured that, although all these complications are well-recognised, the majority of patients do not suffer any problems after a urological procedure.

Please use the check boxes to tick off individual items when you are happy that they have been discussed to your satisfaction:

Common (greater than 1 in 10)

- ☐ Blood in the urine
- ☐ Discomfort or infection in the urine
- □ Difficulty in emptying the bladder adequately, requiring the use of intermittent self-catheterisation

Occasional (between 1 in 10 and 1 in 50)

☐ Inability to pass urine at all, requiring passage of a catheter

Rare (less than 1 in 50)

Generalised	weakness	due to	the	effect	of	the	toxin	on	the	muscles	of t	he
body, requir	ing admiss	ion to	hosp	oital								

Hospital-acquired infection (overall risk for Addenbrooke's)

- \square Colonisation with MRSA (0.02%, 1 in 5,000)
- ☐ Clostridium difficile bowel infection (0.04%; 1 in 2,500)
- ☐ MRSA bloodstream infection (0.01%; 1 in 10,000)

(These rates may be greater in high-risk patients e.g. with longterm drainage tubes, after removal of the bladder for cancer, after previous infections, after prolonged hospitalisation or after multiple admissions)

What should I expect when I get home?

When you leave hospital, you will be given a "draft" discharge summary of your admission. This holds important information about your inpatient stay and your operation. If, in the first few weeks after your discharge, you need to call your GP for any reason or to attend another hospital, please take this summary with you to allow the doctors to see details of your treatment. This is particularly important if you need to consult another doctor within a few days of your discharge.

It is likely that you will have some blood in your urine and slight discomfort in passing urine

What else should I look out for?

Difficulty emptying your bladder; if this occurs, please contact your named nurse.

The original symptoms may return after about 9 months, requiring re-treatment.

Are there any other important points?

None

Driving after surgery

It is your responsibility to ensure that you are fit to drive following your surgery. You do not normally need to notify the DVLA unless you have a medical condition that will last for longer than 3 months after your surgery and may affect your ability to drive. You should, however, check with your insurance company before returning to driving. Your doctors will be happy to provide you with advice on request.

Botulinum toxin injections into the bladder

Is there any research being carried out in this field at Addenbrooke's Hospital?

There is no specific research in this area at the moment but all operative procedures performed in the department are subject to rigorous audit at a monthly Audit & Clinical Governance meeting.

Who can I contact for more help or information? Oncology Nurses

- Uro-Oncology Nurse Specialist 01223 586748
- Bladder cancer Nurse Practitioner (haematuria, chemotherapy & BCG)
 01223 274608
- Prostate cancer Nurse Practitioner
 01223 247608 or 216897 or bleep 154-548
- Surgical Care Practitioner

01223 348590 or 256157 or bleep 154-134

Non-Oncology Nurses

- Urology Nurse Practitioner (incontinence, urodynamics, catheter patients) 01223 274608 or 586748
- Urology Nurse Practitioner (stoma care) 01223 349800

Patient Advice & Liaison Centre (PALS)

Telephone

+44 (0)1223 216756 or 257257 +44 (0)1223 274432 or 274431

PatientLine

*801 (from patient bedside telephones only)

E mail

pals@addenbrookes.nhs.uk

Mail

PALS, Box No 53 Addenbrooke's Hospital Hills Road, Cambridge, CB2 2QQ

Chaplaincy and Multi-Faith Community

Telephone

+44 (0)1223 217769

E mail

derek.fraser@addenbrookes.nhs.uk

Mail

The Chaplaincy, Box No 105 Addenbrooke's Hospital Hills Road, Cambridge, CB2 2QQ

MINICOM System ("type" system for the hard of hearing)

 Telephone +44 (0)1223 274604

Access Office (travel, parking & security information)

Telephone

+44 (0)1223 586969

What should I do with this form?

Thank you for taking the trouble to read this information sheet. If you wish to sign it and retain a copy for your own records, please do so below.

If you would like a copy of this form to be filed in your hospital records for future reference, please let your Urologist or Specialist Nurse know. If you do, however, decide to proceed with the scheduled procedure, you will be asked to sign a separate consent form which will be filed in your hospital notes and you will, in addition, be provided with a copy of the form if you wish.

I have read this information sheet ar	nd I accept the information it provides.
Signature	Date

How can I get information in alternative formats?

Please ask if you require this information in other languages, large print or audio format: 01223 216032 or patient.information@addenbrookes.nhs.uk

Polish	Informacje te można otrzymać w innych językach, w wersji dużym
	drukiem lub audio. Zamówienia prosimy składać pod numerem:

01223 216032 lub wysyłając e-mail:

patient.information@addenbrookes.nhs.uk

Portuguese Se precisar desta informação num outro idioma, em impressão de

letras grandes ou formato áudio por favor telefone para o 01223

216032 ou envie uma mensagem para: patient.information@addenbrookes.nhs.uk

Russian Если вам требуется эта информация на другом языке, крупным

шрифтом или в аудиоформате, пожалуйста, обращайтесь по

телефону 01223 216032 или на вебсайт patient.information@addenbrookes.nhs.uk

Cantonese 若你需要此信息的其他語言版本、大字體版或音頻格式,請致電 01223

216032 或發郵件到: patient.information@addenbrookes.nhs.uk

Turkish Bu bilgiyi diger dillerde veya büyük baskılı ya da sesli formatta

isterseniz lütfen su numaradan kontak kurun: 01223 216032 veya

asagıdaki adrese e-posta gönderin:

patient.information@addenbrookes.nhs.uk

Bengali এই তথ্য বাংলায়, বড় অক্ষরে বা অডিও টেপে পেতে চাইলে দয়া করে 01223 216032 নম্বরে ফোন করুন

বা patient.information@addenbrookes.nhs.uk ঠিকানায় ই-মেইল করুন।



Addenbrooke's is smoke-free. You cannot smoke anywhere on the site. Smoking increases the severity of some urological diseases and increases the risk of post-operative complications. For advice on quitting, contact your GP or the NHS smoking helpline free on 0800 169 0 169

Document history

Author(s) Nikesh Thiruchelvam (on behalf of the Consultant Urologists)

Department of Urology, Box No 43

Addenbrooke's Hospital

Cambridge University Hospitals NHS Foundation Trust

Hills Road

Cambridge, CB2 2QQ www.addenbrookes.org.uk

Contact number 01223 216575 Fax number 01223 216069

Dept website www.camurology.org.uk

First published May 2005 Review date April 2014

File name Botulinum toxin injections into the bladder

Version number 6.0

Ref 103/Urol_04_11